



## SAFETY DATA SHEET of: 220230 - Hipro Cool

Revision date: Friday, May 2, 2025  
S134.406

### SECTION 1: Identification of the substance/mixture and of the company/undertaking:

#### 1.1 Product identifier:

220230 - Hipro Cool

UFI: G2Y0-W0T7-Y004-6A7P

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Cleaner (AISE\_SUMI\_PW\_8a\_1\_G // AISE\_SUMI\_PW\_10\_1 // AISE\_SUMI\_PW\_11\_1 // AISE\_SUMI\_PW\_11\_4 // AISE\_SUMI\_PW\_19\_1)

Concentration in use: /

#### 1.3 Details of the supplier of the safety data sheet:

**BOMA**

Noorderlaan 131

B2030 Antwerpen

Phone: 003232313389 – E-mail: [info@boma.eu](mailto:info@boma.eu) – Website: <http://www.boma.eu/>

#### 1.4 Emergency telephone number:

BE: +32 70 245 245 // NL: +31 88 755 8000 Nationaal Vergiftigingen Informatie Centrum (NVIC) (Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen.) // FR: + 33 (0)1 45 42 59 59 // LUX: (+352) 8002-5500

### SECTION 2: Hazards identification:


#### 2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008

H225 Flam. Liq. 2 H319 Eye Irrit. 2

#### 2.2 Label elements:

Pictograms



## Signal word

Danger

## Hazard statements

**H225 Flam. Liq. 2:** Highly flammable liquid and vapour.  
**H319 Eye Irrit. 2:** Causes serious eye irritation.

## Precautionary statements

**P210:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**P280:** Wear protective gloves, protective clothing, eye protection, face protection.  
**P303+P361+P353:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
**P337+P313:** If eye irritation persists: Get medical advice/attention.  
**P501:** Dispose of contents/container in accordance with local/regional/national/international regulations.

## Contains

None

## 2.3 Other hazards:

None

## SECTION 3: Composition/information on ingredients:

### 3.2 Mixtures:

|         |        |                            |                                        |
|---------|--------|----------------------------|----------------------------------------|
| Ethanol | ≤ 50 % | CAS number:                | 64-17-5                                |
|         |        | EINECS:                    | 200-578-6                              |
|         |        | REACH Registration number: | 01-2119457610-43                       |
|         |        | CLP Classification:        | H225 Flam. Liq. 2<br>H319 Eye Irrit. 2 |
|         |        | Additional data:           | H319 >50%                              |

For the full text of the H phrases mentioned in this section, see section 16.

## SECTION 4: First aid measures:

### 4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

**Skin contact:** Rinse with water.  
**Eye contact:** Rinse first with plenty of water, if necessary seek medical attention.  
**Ingestion:** Rinse first with plenty of water, if necessary seek medical attention.  
**Inhalation:** In case of serious or continuous discomforts: remove to fresh air and seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed:

**Skin contact:** None

|                     |                                                             |
|---------------------|-------------------------------------------------------------|
| <b>Eye contact:</b> | Redness                                                     |
| <b>Ingestion:</b>   | Diarrhoea, headache, abdominal cramps, sleepiness, vomiting |
| <b>Inhalation:</b>  | None                                                        |

#### 4.3 Indication of any immediate medical attention and special treatment needed:

None

## SECTION 5: Firefighting measures:

### 5.1 Extinguishing media:

CO2, foam, powder, sprayed water

### 5.2 Special hazards arising from the substance or mixture:

None

### 5.3 Advice for firefighters:

**Extinguishing agents to be avoided:** None

## SECTION 6: Accidental release measures:

### 6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind. Remove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

### 6.2 Environmental precautions:

Do not allow to flow into sewers or open water.

### 6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible, remove by using absorbent material.

### 6.4 Reference to other sections:

For further information, check sections 8 & 13.

## SECTION 7: Handling and storage:

### 7.1 Precautions for safe handling:

Handle with care to avoid spillage.

### 7.2 Conditions for safe storage, including any incompatibilities:

Keep in a sealed container in a closed, frost-free, ventilated room.

### 7.3 Specific end use(s):

Cleaner (AISE\_SUMI\_PW\_8a\_1\_G // AISE\_SUMI\_PW\_10\_1 // AISE\_SUMI\_PW\_11\_1 // AISE\_SUMI\_PW\_11\_4 // AISE\_SUMI\_PW\_19\_1)

## SECTION 8: Exposure controls/personal protection:

### 8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the workplace exposure limit values are known

Ethanol 1907 mg/m<sup>3</sup>

### 8.2 Exposure controls:

|                                |                                                                                                                                                                                                                                               |                                                                                     |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Inhalation protection:</b>  | Respiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If necessary, use with sufficient exhaust ventilation.                                                                                        |                                                                                     |
| <b>Skin protection:</b>        |                                                                                                                                                                                                                                               |                                                                                     |
| <b>Eye protection:</b>         | Keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.                                                                                       |  |
| <b>Other protection:</b>       | Wear impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.                                                                                  |  |
| <b>Environmental controls:</b> | Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions. For further information, check sections 6 and 13. |                                                                                     |
| <b>Engineering controls:</b>   | The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not exceeded. For further information, check section 7.   |                                                                                     |

## SECTION 9: Physical and chemical properties:

### 9.1 Information on basic physical and chemical properties:

|                                                            |                      |
|------------------------------------------------------------|----------------------|
| <b>Physical state, 20°C:</b>                               | Liquid               |
| <b>Colour:</b>                                             | colourless           |
| <b>Odour:</b>                                              | characteristic       |
| <b>Melting point/freezing point:</b>                       | -10 °C               |
| <b>Boiling point/Boiling range:</b>                        | 78 °C – 100 °C       |
| <b>Flammability (solid, gas):</b>                          | Not applicable       |
| <b>Lower explosive limit, (Vol %):</b>                     | /                    |
| <b>Upper explosive limit, (Vol %):</b>                     | /                    |
| <b>Flash point:</b>                                        | 21 °C                |
| <b>Auto-ignition temperature:</b>                          | /                    |
| <b>Decomposition temperature:</b>                          | /                    |
| <b>pH:</b>                                                 | 6.5                  |
| <b>pH 1% diluted in water:</b>                             | /                    |
| <b>Kinematic viscosity, 40°C:</b>                          | 1 mm <sup>2</sup> /s |
| <b>Solubility in water:</b>                                | Completely soluble   |
| <b>Partition coefficient: n-octanol/water (log value):</b> | Not applicable       |
| <b>Vapour pressure, 20°C,:</b>                             | /                    |
| <b>Relative density, 20°C:</b>                             | 0.9350 kg/l          |
| <b>Vapour density:</b>                                     | Not applicable       |
| <b>Particle characteristics:</b>                           | /                    |

## 9.2 Other information:

|                                   |             |
|-----------------------------------|-------------|
| Dynamic viscosity, 20°C:          | 1 mPa.s     |
| Sustained combustion test:        | /           |
| Evaporation rate (n-BuAc = 1):    | 2.000       |
| Volatile organic component (VOC): | 50.00 %     |
| Volatile organic component (VOC): | 467.500 g/l |

## SECTION 10: Stability and reactivity:

### 10.1 Reactivity:

Stable under normal conditions.

### 10.2 Chemical stability:

Extremely high or low temperatures.

### 10.3 Possibility of hazardous reactions:

None

### 10.4 Conditions to avoid:

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

### 10.5 Incompatible materials:

None

### 10.6 Hazardous decomposition products:

Under recommended usage conditions, hazardous decomposition products are not expected.

## SECTION 11: Toxicological information:

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

#### a) acute toxicity:

Not classified according to the CLP calculation method

**Calculated acute toxicity, ATE oral:** > 2,000 mg/kg

**Calculated acute toxicity, ATE dermal:** > 2,000 mg/kg

|         |                            |               |
|---------|----------------------------|---------------|
| Ethanol | LD50 oral, rat:            | ≥ 5,000 mg/kg |
|         | LD50 dermal, rabbit:       | ≥ 5,000 mg/kg |
|         | LC50, Inhalation, rat, 4h: | ≥ 50 mg/l     |

#### b) skin corrosion/irritation:

Not classified according to the CLP calculation method

#### c) serious eye damage/irritation:

H319 Eye Irrit. 2: Causes serious eye irritation.

d) respiratory or skin sensitisation:

Not classified according to the CLP calculation method

e) germ cell mutagenicity:

Not classified according to the CLP calculation method

f) carcinogenicity:

Not classified according to the CLP calculation method

g) reproductive toxicity:

Not classified according to the CLP calculation method

h) STOT-single exposure:

Not classified according to the CLP calculation method

i) STOT-repeated exposure:

Not classified according to the CLP calculation method

j) aspiration hazard:

Not classified according to the CLP calculation method

#### 11.2 Information on other hazards:

No additional data available

## SECTION 12: Ecological information:

### 12.1 Toxicity:

|         |                 |                                       |
|---------|-----------------|---------------------------------------|
| Ethanol | LC50 (Fish):    | 13000 mg/L (Oncorhynchus mykiss)(96h) |
|         | EC50 (Daphnia): | 12340 mg/L (48h)                      |
|         | EC50 (Algae):   | 275 mg/L (Chlorella vulgaris)(72h)    |

### 12.2 Persistence and degradability:

No additional data available

### 12.3 Bioaccumulative potential:

|         |                         |
|---------|-------------------------|
|         | <b>Additional data:</b> |
| Ethanol | Log Pow: -0,35          |

### 12.4 Mobility in soil:

Water hazard class, WGK (AwSV): 1

Solubility in water: Completely soluble

### 12.5 Results of PBT and vPvB assessment:

No additional data available

### 12.6 Endocrine disrupting properties:

No additional data available

#### 12.7 Other adverse effects:

No additional data available

### SECTION 13: Disposal considerations:

#### 13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utilization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

### SECTION 14: Transport information:



#### 14.1 UN number or ID number:

1170

#### 14.2 UN proper shipping name:

UN 1170 Ethanol, solution, 3, II, (D/E)

#### 14.3 Transport hazard class(es):

|                                             |    |
|---------------------------------------------|----|
| <b>Class(es):</b>                           | 3  |
| <b>Identification number of the hazard:</b> | 33 |

#### 14.4 Packing group:

II

#### 14.5 Environmental hazards:

Not dangerous to the environment

#### 14.6 Special precautions for user:

|                                |                                                                        |
|--------------------------------|------------------------------------------------------------------------|
| <b>Hazard characteristics:</b> | Risk of fire. Risk of explosion. Containments may explode when heated. |
| <b>Additional guidance:</b>    | Take cover. Keep out of low areas.                                     |

#### 14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

### SECTION 15: Regulatory information:

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

|                                        |   |
|----------------------------------------|---|
| <b>Water hazard class, WGK (AwSV):</b> | 1 |
|----------------------------------------|---|

**Volatile organic component (VOC):** 50.000 %  
**Volatile organic component (VOC):** 467.500 g/l  
**Composition by regulation (EC) 648/2004:**

## 15.2 Chemical Safety Assessment:

No data available

## SECTION 16: Other information:

### Legend to abbreviations used in the safety data sheet:

|                |                                                                                         |
|----------------|-----------------------------------------------------------------------------------------|
| <b>ADR:</b>    | The European Agreement concerning the International Carriage of Dangerous Goods by Road |
| <b>ATE:</b>    | Acute Toxicity Estimate                                                                 |
| <b>BCF:</b>    | Bioconcentration factor                                                                 |
| <b>CAS:</b>    | Chemical Abstracts Service                                                              |
| <b>CLP:</b>    | Classification, Labelling and Packaging of chemicals                                    |
| <b>EINECS:</b> | European INventory of Existing commercial Chemical Substances                           |
| <b>LC50:</b>   | median Lethal Concentration for 50% of subjects                                         |
| <b>LD50:</b>   | median Lethal Dose for 50% of subjects                                                  |
| <b>Nr.:</b>    | Number                                                                                  |
| <b>PBT:</b>    | Persistent, Toxic, Bioaccumulative                                                      |
| <b>STOT:</b>   | Specific Target Organ Toxicity                                                          |
| <b>UFI:</b>    | Unique Formula Identifier                                                               |
| <b>vPvB:</b>   | very Persistent and very Bioaccumulative substances                                     |
| <b>WGK:</b>    | Water hazard class                                                                      |
| <b>WGK 1:</b>  | Slightly hazardous for water                                                            |
| <b>WGK 2:</b>  | Hazardous for water                                                                     |
| <b>WGK 3:</b>  | Extremely hazardous for water                                                           |

### Legend to the H Phrases used in the safety data sheet

H225 Flam. Liq. 2: Highly flammable liquid and vapour. H319 Eye Irrit. 2: Causes serious eye irritation.

### CLP Calculation method

Calculation method

### Reason of revision, changes of following items

None

### SDS reference number

ECM-108099,01

*This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2020/878. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material*

*suitability and safety study himself.*